

**NORLAKE**<sup>®</sup>

Second and Elm Streets  
P.O. Box 248  
Hudson, Wisconsin 54016  
800-955-5253  
715-388-2323  
715-388-6149 FAX

1 EA

# Quotation

Quote Number: FS062345A-1A

Page: 1

Customer: 2668  
WICHITA REST SUPPLY CO, INC  
NISSCO  
1122 SCOTT AVE  
WICHITA FALLS, TX 76301  
Attention: Jim Hay  
Project: Assisted Living  
Item Number:  
Rep Name: Raleigh W Johnson & Company  
Rep Number: 80  
MSR: Julie Fox

Item #  
65, 68, 70, 71

NET

(1) Nor-Lake FAST-TRAK Walk-in Cooler/Freezer (Combination (2 compartments),  
16' long, 8' wide, 7' 7" high

This full size Nor-Lake walk-in contains 744 internal cubic feet to assure maximum storage capacity.  
Compare to other quotes which may be nominal dimensions which can result in reduced storage space.

TOTAL WALK-in PRICE:

(1) NAWA100RL-4-WBYH Refrigeration System  
(1) LAWD100RL-4-WBYH Refrigeration System  
TOTAL REFRIGERATION PRICE:

(2) 5 Year Warranty for Series 100 Compressor  
(2) 18 Month Labor/Service Warranty for Self-Contained Refrigeration Systems  
(1) Standard 15 year Walk-in Panel Warranty  
(1) Standard 1 year Replacement Parts Warranty  
TOTAL WARRANTY PRICE:

GRAND TOTAL QUOTATION PRICE:

Notes/Clarifications:

Approximate Total Shipping Weight: 2975

Nor-Lake panels are manufactured with environmentally friendly HFC-134A polyurethane foam insulation.  
Prices protected from increase for 45 days from date of quotation. Prices void if purchase order, signed quote or print, and release for production are received later than 45 days from date of quotation. All shipments FOB Hudson, WI. Based on the ship to address of this product, state sales tax may be applicable. If applicable, sales tax will be added to the Nor-Lake invoice.

Acceptance of an order based on this quotation is subject to credit approval.  
Please reference this Quotation Number on all correspondence.



Second and Elm Streets  
 P.O. Box 248  
 Hudson, Wisconsin 54016  
 800-955-5253  
 715-386-2323  
 715-386-6149 FAX

# Quotation

Quote Number: FS062345A-1A

Page: 2

Customer: 2668  
 WICHITA REST SUPPLY CO, INC  
 NISSCO  
 1122 SCOTT AVE  
 WICHITA FALLS, TX 76301  
 Attention: Jim Hay  
 Project: Assisted Living


Prepared by: \_\_\_\_\_

Nor-Lake Is Registered By UL To ISO 9001 FOR MAXIMUM SECURITY OF YOUR PRODUCT ASK FOR THE SECURE GUARD™ LOCK BY NOR-LAKE.

(1) Nor-Lake FAST-TRAK Walk-in Cooler/Freezer Combination (2 compartments)  
 16' long, 8' wide, 7' 7" high

Finishes:

- 26 gauge corrosion resistant stucco embossed coated steel  
 interior walls, exterior walls, interior ceiling
- smooth aluminum  
 interior floor for (1) cooler and (1) freezer



36" X 78FT" Walk-in Door

(2) 36" X 78FT" Walk-in Door left-hand swing



Second and Elm Streets  
P.O. Box 248  
Hudson, Wisconsin 54016  
800-955-5253  
715-386-2323  
715-386-6149 FAX

# Quotation

Quote Number: FS062345A-1

Page: 3

Customer: 2668  
WICHITA REST SUPPLY CO, INC  
NISSCO  
1122 SCOTT AVE  
WICHITA FALLS, TX 76301  
Attention: Jim Hay  
Project: Assisted Living

Includes door closer (except one spring hinge on some partition doors), cam lift hinges, NL9800 deadbolt key/padlock handle w/inside release, magnetic gasket, heater wire, double sweep gasket, vapor proof light, and NL508 combination digital thermometer and switch w/pilot light.

(1) 36" Fast-Trak™ Interior Ramp #123117 (Allow 10 Days For Shipment)

Construction Approvals: NSF Approved, UL Electrical and UL Flame Spread-25 in accordance with ASTM E-84

Nor-Lake panels are manufactured with environmentally friendly HFC-134A polyurethane foam insulation.

(1) NAWA100RL-4-WBYH High Temperature, 35-38° F., Air Cooled, Welded Hermetic, R-22, Remote Refrigeration System with Low Profile Unit Cooler, Pre-Assembled and Pre-Piped with Shut Off Valves Installed (Field Interconnecting Piping and Wiring Required). Meets CEC Requirements and 208/230-1-60 Electrical with All Weather Hood and -20° F. Ambient Controls (system capacity 6430 BTU's/hour at 100° ambient temperature)

Calculated load for 35° Cooler is 4161 BTU's/hour calculated from 90° ambient temperature, 70° floor temperature (insulated floor), 25 minutes open door time for (1) 36" X 78" walk-in door (Heavy Use), opening into 90° ambient, (1) 100 watt light operating 12 hours per day,. All calculations are based on data supplied by ASHRAE publications.

(1) LAWD100RL-4-WBYH Low Temperature, -10° F., Air Cooled, Welded Hermetic, R-404A, Remote Refrigeration System with Low Profile Unit Cooler, Pre-Assembled and Pre-Piped with Shut Off Valves Installed (Field Interconnecting Piping and Wiring Required). Meets CEC Requirements and 208/230-1-60 Electrical with All Weather Hood and -20° F. Ambient Controls (system capacity 4140 BTU's/hour at 100° ambient temperature)

Calculated load for -10° Freezer is 2385 BTU's/hour calculated from 90° ambient temperature, 70° floor temperature (insulated floor), 18 minutes open door time for (1) 36" X 78" walk-in door (Heavy Use), opening into 35° ambient, (1) 100 watt light operating 12 hours per day,. All calculations are based on data supplied by ASHRAE publications.

(2) 5 Year Warranty for Series 100 Compressor

(2) 18 Month Labor/Service Warranty for Self-Contained Refrigeration Systems

Refrigeration is " sized " for holding product only; that is; our calculation is based on product entering at the same temperature as the desired temperature of this walk-in. If you feel that this is insufficient, please advise.

Quotation is subject to change upon receipt of detailed specifications and/or refrigeration load information.